Dutchpro SINCE 1985
Complete Nutrients

HARD water

VOEDINGSSCHEMA Soil - Per 1 L water

BELANGRIJK: DIT VOEDINGSSCHEMA IS EEN RICHTLIJN. HIER VAN AFWIJKEN IS MOGELIJK.
GEBRUIK ALTIJD EVENVEEL A ALS B BASISVOEDING !
BLIJF A & B TOEVOEGEN TOT DAT U DE GEWENSTE EC WAARDE BEREIKT. VOOR OVERIGE INSTRUCTIES Z.O.Z.

WIJ ZIJN NIET VERANTWOORDELIJK VOOR DRUK & ZET FOUTEN.

www.dutchpro.com

Per 1 L of water	GROEI PERIODE 18 UUR LICHT CYCLUS		BLOEI PERIODE - 12 UUR LICHT CYCLUS								
Week:	1	2	1	2	3	4	5	6	7	8	SPOELEN
Silica von Liebig SPECIAL – MONOSILICIUMZUUR	0.4 ml.	0.4 ml.	0.4 ml.	0.4 ml.	0.4 ml.	0.4 ml.	0.4 ml.	0.4 ml.	0.4 ml.	0.4 ml.	
HARD water Grow SOIL – BASISVOEDING	A & B (beide) Min. 2.0 ml. Max. 3.5 ml. EC 1.8 - 2.0	A & B (beide) Min. 2.0 ml. Max. 3.5 ml. EC 1.8 - 2.0									
HARD water Bloom SOIL – BASISVOEDING			A & B (beide) Min. 2.0 ml. Max. 3.5 ml. EC 1.8 - 2.3	A & B (beide) Min. 2.0 ml. Max. 3.5 ml. EC 1.8 - 2.3	A & B (beide) Min. 2.0 ml. Max. 3.5 ml. EC 1.8 - 2.3	A & B (beide) Min. 2.0 ml. Max. 3.5 ml. EC 1.8 - 2.3	A & B (beide) Min. 2.0 ml. Max. 3.5 ml. EC 1.8 - 2.3	A & B (beide) Min. 2.0 ml. Max. 3.5 ml. EC 1.8 - 2.3	A & B (beide) Min. 2.0 ml. Max. 3.5 ml. EC 1.8 - 2.3	A & B (beide) Min. 2.0 ml. Max. 3.5 ml. EC 1.8 - 2.3	
Organic multi Total – VOEDINGSOPTIMALISATOR	Bewateren 2 ml.		1 ml.		1 ml.		1 ml.		1 ml.		
Organic take Root – WORTELSTIMULATOR	1 ml.	1 ml.	1 ml.	1 ml.							
Explode – ALLES-IN-ÉÉN BOOSTER					0.5 ml.	0.5 ml.	1 ml.	1 ml.	1.5 ml.	1.5 ml.	

OPTIONELE TOEVOEGINGEN

V6.1

OPTIONELE TOEVOEGINGEN											
Quantum Massive POW ERSHOT – FINAL BOOSTER						0.5 gram	0.5 gram	0.5 gram	0.5 gram	0.5 gram	
Organic Amino Strength – AMINOZUREN	0.4 ml. 1x per week	0.4 ml. 1x per week	0.4 ml. 1x per week	0.4 ml. 1x per week	0.4 ml. 1x per week	0.4 ml. 1x per week	0.4 ml. 1x per week	0.4 ml. 1x per week	0.4 ml. 1x per week	0.4 ml. 1x per week	
Calmag – CALCIUM & MAGNESIUM	0.1 - 1 ml.	0.1 - 1 ml.	0.1 - 1 ml.	0.1 - 1 ml.	0.1 - 1 ml.	0.1 - 1 ml.	0.1 - 1 ml.	0.1 - 1 ml.	0.1 - 1 ml.	0.1 - 1 ml.	
Organic leaf Green – BLADSPRAY	1x per week	1x per week	1x per week	1x per week							
keep it Clean – SYSTEEM REINIGER	0.1 ml.	0.1 ml.	0.1 ml.	0.1 ml.	0.1 ml.	0.1 ml.	0.1 ml.	0.1 ml.	0.1 ml.	0.1 ml.	0.1 ml.
pH- pH+ – pH REGULATOR	pH=5.8 - 6.5	pH=5.8 - 6.5	pH=5.8 - 6.5	pH=5.8 - 6.5	pH=5.8 - 6.5	pH=5.8 - 6.5	pH=5.8 - 6.5	pH=5.8 - 6.5	pH=5.8 - 6.5	pH=5.8 - 6.5	